

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1	Particulars of the Occupier	: Sri Ramakrishna Dental College and Hospital
	(i) Name of the authorised person (Occupier or operator of facility)	: Mr. D.Lakshminarayanaswamy, Managing Trustee
	(ii) Name of HCF or CBMWTF	: Techno Therm Industries
	(iii) Address for Correspondence	: S.F.No (Old S.F No 399)110 Block 2 Ward No. AA(27), Sowripalayam Village, Coimbatore - 641006.
	(iv) Address of Facility	: S.F.No (Old S.F No 399)110 Block 2 Ward No. AA(27), Sowripalayam Village, Coimbatore - 641006..
	(v)Tel. No, Fax. No	: 9842177100 / 0422 2560381
	(vi) E-mail ID	: ceo@snrsonstrust.org
	(vii) URL of Website	: www.srdch.ac.in
	(viii) GPS coordinates of HCF or CBMWTF	:
	(ix) Ownership of HCF or CBMWTF	: Private
	(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: 22BAZ40681125 dated 06.01.2022 valid up to 31.03.2023
	(xi). Status of Consents under Water Act and Air Act	: Valid up to: 31.03.2025
2	Type of Health Care Facility	:
	(i) Bedded Hospital	: 250
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	:
3	Details of CBMWTF	: MOU Enclosed
	(i) Number healthcare facilities covered by CBMWTF	: 1
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: 62.5 Kg per day
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category : 1668 Red Category : 1016 PPC : 19 Blue Category : 405 General Solid Waste : -


5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage Facility	:	Size : 4' x 10' = 40 Sq.ft																																																
			Capacity : 100 Kg																																																
			Provision of on-site storage : (cold storage or any other provision)																																																
	Disposal Facilities		<table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. Of Units</th> <th>Capacity Kg /Day</th> <th>Quantity treated or disposed in Kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td>-</td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td>-</td> <td></td> <td></td> </tr> </tbody> </table>	Type of Treatment	No. Of Units	Capacity Kg /Day	Quantity treated or disposed in Kg per annum	Incinerators	-			Plasma Pyrolysis	-			Autoclaves	-			Microwave	-			Hydroclave	-			Shredder	-			Needle tip cutter or destroyer	-			Sharps encapsulation or concrete pit	-			Deep burial pits:	-			Chemical disinfection:	-			Any other treatment equipment:	-		
Type of Treatment	No. Of Units	Capacity Kg /Day	Quantity treated or disposed in Kg per annum																																																
Incinerators	-																																																		
Plasma Pyrolysis	-																																																		
Autoclaves	-																																																		
Microwave	-																																																		
Hydroclave	-																																																		
Shredder	-																																																		
Needle tip cutter or destroyer	-																																																		
Sharps encapsulation or concrete pit	-																																																		
Deep burial pits:	-																																																		
Chemical disinfection:	-																																																		
Any other treatment equipment:	-																																																		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (Like plastic, glass etc.,) NA																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 No																																																
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	<table border="1"> <thead> <tr> <th></th> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration ASH</td> <td></td> <td></td> </tr> <tr> <td>ETP Sludge</td> <td></td> <td></td> </tr> </tbody> </table>		Quantity generated	Where disposed	Incineration ASH			ETP Sludge																																									
	Quantity generated	Where disposed																																																	
Incineration ASH																																																			
ETP Sludge																																																			
	(vi) Name of the Common Bio - Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Tekno Therm Industries																																																
	(vii) List of member HCF not handed over bio-medical waste.	:	-																																																
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	:	-																																																

7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	4
	(ii) number of personnel trained	10
	(iii) number of personnel trained at the time of induction	10
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details.	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Nil
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	:

Certified that the above report is for the period from 01.01.2023 to 31.12.2023

Name and Signature of the Head of the Institution

For Sri Ramakrishna Dental College & Hospital


(C. V. RAMKUMAR)
Chief Executive

Date: 25.06.2024

Place: Coimbatore.